

R E F E R E N C E S

- Abd-el-Malek, Y. & Rizk, S. G. (1963 A): Bacterial sulphate reduction and the development of alkalinity. I. Experiments with synthetic media. *Jour. Appl. Bacteriol.*, vol. 26, pp.7-13.
- Abd-el-Malek, Y. & Rizk, S. G. (1963 B): Bacterial sulphate reduction and the development of alkalinity. II. Laboratory experiments with soils. *Jour. Appl. Bacteriol.*, vol.26, pp.14-19.
- Abou-Khadrah, A. M. & Khaled, K. A. (1978): Origin and diagenesis of the Aptian Alamein dolomite in the Razzak oil field, North Western Desert, Egypt. *Chemie d. Erde*, vol.37, pp.154-164.
- Abram, J. W. & Nedwell, D. B. (1978 A): Inhibition of methanogenesis by sulfate-reducing bacteria competing for transferred hydrogen. *Arch. Mikrobiol.*, vol.117, pp.89-92.
- Abram, J. W. & Newell, D. B. (1978 B): Hydrogen as a substrate for methanogenesis and sulfate reduction in anaerobic saltmarsh sediment. *Arch. Mikrobiol.*, vol.117, pp.93-97.
- Adams, J. E. & Rhodes, M. L. (1960): Dolomitization by seepage reflux. *Am. Assoc. Petrol. Geol. Bull.*, vol.44, pp.1912-1920.
- Adams, C. S. & Swinnerton, A. C. (1937): The solubility of limestone. *Trans. Am. Geophys. Union*, vol.11, pp.504-508.
- Adams, S. F. (1920): A replacement of wood by dolomite. *Jour. Geol.*, vol.28, pp.356-365.
- Adolf, G., Pulfrich, M. & Linck, G. (1921): Über die Darstellung des Dolomits und die Dolomite des Röt in der Umgebung von Jena: *Centralblatt f. Mineral.*, Jg.1921, pp.545-558.
- Aharon, P.; Kolodny, Y & Sass, E. (1977): Recent hot brine dolomitization in the "Solar Lake", Gulf of Elat: Isotopic, chemical and mineralogical study. *Jour. Geology*, vol.85, pp.27-48.
- Aikawa, J. K. (1981): Magnesium: Its biologic significance. CRC Press, Boca Raton, 129 p.
- Aïssaoui, D. M. (1988): Magnesian calcite cements and their diagenesis: Dissolution and dolomitization, Mururoa Atoll. *Sedimentology*, vol.35, pp.821-841.
- Aïssaoui, D. M.; Buigues, D. & Purser, B. H. (1986): Model of reef diagenesis: Mururoa Atoll, French Polynesia. pp.27-52, in: Schroeder, J. H. & Purser, B. H. (eds.): Reef diagenesis. Springer Verlag, Heidelberg, 455 p.
- Akhanov, Z. U. (1965): Carbonate accumulation in soils of the Chu River Valley. *Chem. Abstracts*, vol.64(1966), no.3,240 d.
- Alderman, A. R. (1965): Dolomitic sediments and their environment in the south-east of South Australia: *Geochim. Cosmochim. Acta*, vol.29, pp.1355-1365.
- Alderman, A. R. & Borch, C. C. von der (1961): Occurrence of magnesite – dolomite in South Australia. *Nature*, vol.192, p.861.
- Alderman, A. R. & Borch, C. C. von der (1963): A dolomite reaction series. *Nature*, vol.198, pp.465-466.

- Alderman, A. R. & Skinner, H. C. W. (1957): Dolomite sedimentation in the south-east of South Australia. *Am. Jour. Sci.* (4th. Ser.), vol.255, pp.561-567.
- Alemanni, P. (1807): Lettera sull'analisi di alcuni calcoli urinari e di due sostanze saline. *Memorie di matematica e di fisica della Società Italiana della Scienze* (Modena), vol.13, pp.301-307.
- Alexandersson, E. T. (1969): Recent littoral and sublittoral high-Mg calcite lithification in the Mediterranean. *Sedimentology*, vol.12, pp.47-61.
- Ali-Zade, A. A.; Daidbekova, E. A.; Safarov, G. I. & Babaeva, R. S. (1972): Dolomites as possible oil and gaz collectors in Mesozoic formations in Azerbaidzhan. *Chem. Abstr.*, vol.78 (1973), no.149,715 e.
- Ali-Zade, A. A.; Mamedalizade, A. M.; Khalilov, A. D. & Aliev, S. A. (1978): Mineralogical content of sea urchin shells. *Chem. Abstr.*, vol.91 (1979), no.2,770 d.
- Althoff, P. L. (1977): Structural refinements of dolomite and a magnesian calcite and implications for dolomite formation in the marine environment. *Am. Mineral.*, vol.62, pp.772-783.
- Alway, F. J. & Zetterberg, J. M. (1935): Relative amounts of calcium carbonate and magnesium carbonate in some Minnesota soils. *Soil Sci.*, vol.39, pp.9-14.
- Amoroso, G. G. & Fassina, V. (1983): *Stone decay and conservation*. Elsevier, Amsterdam, 453 p.
- Anderson, J. M. (1973): Carbon dioxide evolution from two temperate deciduous woodland soils. *Jour. Appl. Ecology*, vol.10, pp.361-378.
- Anderson, T. F. (1969): Self-diffusion of carbon and oxygen in calcite by isotope exchange with carbon dioxide. *Jour. Geophys. Res.*, vol.74, pp.3918-3932.
- Anderson, W. C. (1905): The formation of magnesia from magnesium carbonate, and the effect of temperature on the properties of the product. *Jour. Chem. Soc., Transactions*, vol.87, pp.257-265.
- Andrée, K. (1911): *Die Diagenese der Sedimente, ihre Beziehungen zur Sedimentbildung und Sedimentpetrographie*. *Geol. Rundschau*, vol.2, pp.61-74 + pp.117-130.
- Andriyasova, G. M.; Lepeshkov, I. N. & Nuryagdyev, M. (1973): Silt deposits in the Karabogaz-Gol Gulf. *Chem. Abstracts*, vol.80 (1974), no.123,343 y.
- Angel, F. & Trojer, F. (1953): Der Ablauf der Spatmagnetit-Metasomatose. *Radex Rundschau*, Jg.1953, pp.315-334.
- Angel, F. & Trojer, F. (1955): Zur Frage des Alters und der Genesis alpiner Spatmagnetite. *Radex Rundschau*, Jg.1955, pp.374-392.
- Angino, E. E.; Armitage, K. B. & Tash, J. C. (1964): Physicochemical limnology of Lake Bonney, Antarctica. *Limnology and Oceanography*, vol.9, pp.207-217.
- Antonoff, G. (1935/1937): Improvements in the manufacture of metallic carbonates, more particularly carbonate of magnesia and their oxides. *Brit. Patent* 463,551.

- Apjohn, J. (1838): Analysis of some Irish dolomites. *Jour. Roy. Geol. Soc. Dublin*, vol.1, pp.368-381.
- Arduino, G. (1779): Osservazioni chimiche sopra alcuni fossili. Alfresco Benedetto Milocco, Venezia, 58 p.
- Armstrong, A. K.; Snively Jr., P. D. & Addicott, W. O. (1980): Porosity evolution of Upper Miocene reefs, Almeria Province, southern Spain. *Am. Assoc. Petrol. Geol. Bull.*, vol.64, pp.188-208.
- Arnaud, R. J. St. & Herbillon, A. J. (1973): Occurrence and genesis of secondary magnesium-bearing calcites in soils. *Geoderma*, vol.9, pp.279-298.
- Arrhenius, S. (1889): Ueber die Dissociationswärme und den Einfluss der Temperatur auf den Dissociationsgrad der Elektrolyte. *Z. f. physik. Chemie*, vol.4, pp.96-116.
- Arsandaux, H. (1901): Analyses de quelques minéraux. *Bull. Soc. Franç. Minéral.*, vol.24, pp.472-476.
- Artini, E. (1921): Sulla presenza della nesquehonite nelle cave d'amianto di Franscia in Val Laterna. *Rend. della R. Acc. Naz. dei Linzei*, ser.5, vol.30, pp.153-157.
- Asano, G.; Tanaka, N.; Takemoto, Y. & Yamamura, M. (1964): Coke components and ash minerals in a senseki (a sort of cinder coal) from Chikuho coal field, Japan. *Chem. Abstr.*, vol.62 (1965), no.15,991 h.
- Atoda, T. (1957): Basic magnesium carbonates. IV. Hydrolysis products of normal magnesium carbonate trihydrate at room temperature. *Chem. Abstracts*, vol.51(1957), no.11,904 f.
- Atwood, D. K. & Bubb, J. N. (1970): Distribution of dolomite in a tidal flat environment, Sugarloaf Key, Florida. *Jour. Geology*, vol.78, pp.499-505.
- Auerbach, F. (1904): Über Kalium-Magnesiumkarbonat. *Zeitschr. f. Elektrochemie*, Jg.10, pp.161-169.
- Auerbach, F. & Pick, H. (1911): Die Alkalität wässriger Lösungen kohlenaurer Salze. *Arbeiten aus dem kaiserlichen Gesundheitsamte* (Berlin), Bd.38, pp.243-274.
- Avrami, M. (1939): Kinetics of phase change. I. General theory. *Jour. Chem. Physics*, vol.7, pp.1103-1112.
- Azzaro, E.; Badalamenti, F.; Dongarrà, G. & Hauser, S. (1983): Geochemical and mineralogical studies of Lake Specchio de Venere, Pantellaria Island, Italy. *Chemical Geology*, vol.40, pp.149-165.
- Baars, J. K. (1930): Over sulfaatreductie door bacteriën. W. D. Meinema, Delft, 164 p.
- Baas-Becking, L. G. M. (1934): *Geobiologie, of inleiding tot de milieukunde*. W. P. van Stockum & Zoon, Den Haag, 263 p.
- Baas-Becking, L. G. M. & Galliher, E. W. (1931): Wall-structure and mineralization in coralline algae. *Jour. Phys. Chem.*, vol.35, pp.467-479.
- Baas-Becking, L. G. M.; Kaplan, I. R. & Moore, D. (1960): Limits of the natural environment in terms of pH and oxidation-reduction potentials. *Jour. Geol.*, vol.68, pp.243-284.

- Bäckström, H. L. J. (1921): Über die Affinität der Aragonit – Calcit – Umwandlung. *Zeitschr. physik. Chemie*, Bd.97, pp.179-228.
- Bäckström, H. L. J. (1924): Studies on the dolomite system. *Jour. Chem. Soc. (London)*, vol.125, pp.430-434.
- Badiozamani, K. (1973): The Dorag dolomitization model – Application to the Middle Ordovician of Wisconsin. *Jour. Sed. Petrol.*, vol.43, pp.965-984.
- Bain, E. C. (1923): Cored crystals and metallic compounds. *Chemical & Metallurgical Engineering*, vol.28, pp.65-69.
- Baker, P. A. & Burns, S. J. (1985): Occurrence and formation of dolomite in organic-rich continental margin sediments. *Am. Assoc. Petrol. Geol. Bull.*, vol.69, pp.1917-1930.
- Baker, P. A. & Kastner, M. (1981): Constraints on the formation of sedimentary dolomite. *Science*, vol.213, pp.214-216.
- Baker, P. A.; Gieskes, J. M. & Elderfield, H. (1982): Diagenesis of carbonates in deep-sea sediments – Evidence from Sr/Ca ratios and interstitial dissolved Sr²⁺ data. *Jour. Sed. Petrol.*, vol.52, pp.71-82.
- Bakhuis-Roozeboom, H. W. (1891): Über die Löslichkeit von Mischkrystallen, speziell zweier isomorphen Körper. *Z. f. physik. Chemie*, vol.8, pp.504-530.
- Balconi, M. & Ferrario, A. (1939): Azione dell'acqua ricca di anidride carbonica sulla dolomite. *Periodica di Mineralogia (Roma)*, vol.10, pp.397-404.
- Balló, R. (1913): Über das Gleichgewicht von Calcium-Magnesiumcarbonat in Kochsalzlösungen. *Chemiker Zeitung*, Bd.37, p.554.
- Balló, R. & Jugovics, L. (1915): The theory of the formation of dolomite. *Chem. Abstracts*, vol.16(1922), no.3,835(9).
- Baltzer, F.; Conchon, O.; Freytet, P. & Purser, B. H. (1982): Un complexe fluvio-deltaïque sursalé et son contexte: Originalité du Mehran. *Mém. Soc. Géol. France (n.S.)*, no.144, pp.43-52.
- Baltzer, F.; Kenig, F.; Boichard, R.; Plaziat, J. C. & Purser, B. H. (1994): Organic matter distribution, water circulation and dolomitization beneath the Abu Dhabi Sabkha (United Arab Emirates). pp.409-427, in: Purser, B. H.; Tucker, M. & Zenger, D. (eds.): *Dolomites. A volume in honour of Dolomieu*. Oxford, Blackwell.
- Bandoian, C. A. & Murray, R. C. (1974): Plio-Pleistocene carbonate rocks of Bonaire, Netherlands Antilles. *Bull. Geol. Soc. Am.*, vol.85, pp.1243-1252.
- Barber, D. J. (1977): Defect microstructures in deformed and recovered dolomites. *Tectonophysics*, vol.39, pp.193-213.
- Barber, D. J. & Khan, M. R. (1987): Composition-induced microstructures in rhombohedral carbonates. *Mineral. Magaz.*, vol.51, pp.71-86.
- Barber, D. J.; Heard, H. C.; Patterson, M. S. & Wenk, H. R. (1977): Stacking faults in dolomite. *Nature*, vol.269, pp.789-790.

- Barber, D. J.; Reeder, R. J. & Smith, D. J. (1985): A TEM microstructural study of dolomite with curved faces (saddle dolomite). *Contributions Mineral. Petrol.*, vol.91, pp.82-92.
- Barker, H. A. (1956): *Bacterial fermentations*. J. Wiley & Sons, London, 95 p.
- Barkla, C. G. & Ayres, T. (1911): The distribution of secondary X-rays and the electro-magnetic pulse theory. *London, Edinburgh & Dublin philosophical Magazine and journal of science*, vol.21, pp.270-278.
- Barnes, I. & O'Neil, J.R. (1971): Calcium-magnesium carbonate solid solutions from Holocene conglomerate cements and travertines in the Coast Range of California. *Geochim. Cosmochim. Acta*, vol.35, pp.699-718.
- Baron, G. (1958): Précipitation de la giobertite et de la dolomie à partir des solutions de chlorures de magnésium et de calcium. *Compt. Rend. (Paris)*, vol.247, pp.1606-1608.
- Baron, G. (1960): Sur la synthèse de la dolomite. Application au phénomène de dolomitisation. *Revue de l'Institut Française du Pétrole*, vol.15, pp.3-68.
- Baron, G. & Favre, J. (1958): État actuel des recherches en direction de la synthèse de la dolomie. *Revue de l'Institut Française du Pétrole*, vol.13, pp.1067-1085.
- Baron, G. & Wyart, J. (1958): Sur le rôle des facteurs physicochimiques dans la synthèse hydrothermale de la giobertite CO_3Mg à partir des solutions de bicarbonate de magnésium. *Compt. Rend. (Acad. Sci. Paris)*, vol.247, pp.485-487.
- Baron, G.; Caillère, S.; Lagrange, R. & Pobeguïn, T. (1957): Sur la présence de huntite dans une grotte de l'Hérault (la Clamouse). *Compt. Rend. (Acad. Sci. Paris)*, vol.245, pp.92-94.
- Baron, G.; Caillère, S.; Lagrange, R. & Pobeguïn, T. (1959): Étude du Mondmilch de la grotte de la Clamouse et de quelques carbonates et hydrocarbonates alcalino-terreux. *Bull. Soc. franç. Min. Crist.*, vol.82, pp.150-158.
- Barrer, R. M. (1951): *Diffusion in and through solids*. Cambridge, Cambridge University Press, 464 p.
- Bastin, E. S. & Greer, F. E. (1930): Additional data on sulphate-reducing bacteria in soils and waters of Illinois oil fields. *Bull. Am. Assoc. Petrol. Geol.*, vol.14, pp.153-159.
- Bastin, E. S.; Anderson, B.; Greer, F. E.; Merritt, C. A. & Moulton, G. (1926): The problem of the natural reduction of sulphates. *Bull. Am. Assoc. Petrol. Geol.*, vol.10, pp.1270-1299.
- Bauer, M. (1890): Beiträge zur Mineralogie. VI. Reihe. *Neues Jahrb. f. Mineral.*, Jg.1890, pp.10-48.
- Baumhauer, H. (1872): Ueber die Structur isomorpher Krystalle. *Berichte d. Deut. chem. Gesellschaft*, vol.5, pp.857-859.
- Baur, E. (1902): Über zwei denitrifizierende Bakterien aus der Ostsee. *Wiss. Meeresunters. Kiel*, Bd.6, pp.9-22.
- Bausch, W. M. (1968): Outlines of distribution of strontium in limestones. pp.106-115, in: Müller, G. & Friedman, G. M. (eds.): *Recent developments in carbonate sedimentology in Central Europe*. Springer, Berlin, 255 p.

- Bausch, W. M. & Wiontzek, H. (1961): Petrographische Untersuchungen am Hauptdolomit von Rehden. *Erdoel & Kohle*, Bd.14, pp.686-692.
- Bavendamm, W. (1931): The possible rôle of micro-organisms in the precipitation of calcium carbonate in tropical seas. *Science*, vol.73, pp.597-598.
- Bavendamm, W. (1932): Die mikrobiologische Kalkfällung in der tropischen See. *Archiv. f. Mikorobiologie*, Bd.3, pp.205-276.
- Beckurts, H. (1881 A): Beiträge zur Kenntnis der Carbonate des Magnesiums. *Archiv d. Pharmacie*, Ser.3, Bd.18, vol.218, pp.429-442.
- Beckurts, H. (1881 B): Beiträge zur Kenntnis der Carbonate des Magnesiums. *Archiv d. Pharmacie*, Jg.60, 3e Reihe, Bd.19 (= Bd.219), pp.13-23.
- Becquerel, A. C. (1827): Des décompositions chimiques opérées avec des forces électriques à très-petite tension. *Ann. de Chimie et de Physique*, vol.34, pp.152-163.
- Becquerel, A. C. (1829): Mémoire sur l'électro-chimie et l'emploi de l'électricité pour opérer des combinaisons. *Ann. de Chimie et de Physique*, vol.41, pp.5-45.
- Becquerel, A. C. (1852): Mémoire sur la reproduction de plusieurs composés minéraux. *Compt. Rend. (Acad. Sci. Paris)*, vol.34, pp.29-33.
- Beenakker, C. W. J. & Ross, J. (1985): The theory of Ostwald Ripening for open systems. *Jour. Chem. Physics*, vol.83, pp.4710-4714.
- Begin, Z. B.; Ehrlich, A. & Nathan, Y. (1974): Lake Lisan. The Pleistocene precursor of the Dead Sea. *Bull. Geol. Survey Israel*, vol.63, 30 p.
- Behrens, E. W. & Land, L. S. (1972): Subtidal Holocene dolomite, Baffin Bay, Texas. *Jour. Sed. Petrol.*, vol.42, pp.155-161.
- Beijerinck, M. W. (1895): Ueber *Spirillum desulfuricans* als Ursache von Sulfatreduction. *Centralbl. f. Bakt., II.Abt.*, Bd.1, pp.1-9 + pp.49-59 + pp.104-114.
- Benson, L. V. & Matthews, R. K. (1971): Electron microprobe studies of magnesium distribution in carbonate cements and recrystallized skeletal grainstones from the Pleistocene of Barbados, West Indies. *Jour. Sed. Petrol.*, vol.41, pp.1018-1025.
- Bentor, Y. K.; Gross, S. & Heller, L. (1963): Some unusual minerals from the "mottled zone" complex, Israel. *Am. Mineral.*, vol.48, pp.924-930.
- Ben-Yaakov, S. (1973): pH Buffering of pore water of Recent anoxic marine sediments. *Limnol. Oceanogr.*, vol.18, pp.86-94.
- Beran, A. & Zemmann, J. (1977): Refinement and comparison of the crystal structures of a dolomite and of an Fe-rich ankerite. *Tschermak's Min. Petr. Mitt.*, vol.24, pp.279-286.
- Beremzhanov, B. A. & Pokrovskaya, Y. A. (1964): Isothermal evaporation of water of Lake Balkkhash. *Chem. Abstr.*, vol.65 (1966), no.485 c.
- Berg, L. G. & Borisova, L. A. (1959): The nature of Linck's salt. *Chem. Abstracts*, vol.53 (1959), no.18,763 c.

- Berger, W. H. & Rad, U. von (1972): Cretaceous and Cenozoic sediments from the Atlantic Ocean. pp.787-955, in: Hayes, D. E. et al. (eds.): Initial Reports of the Deep Sea Drilling Project, Vol.14. U.S. Government Printing Office, Washington D.C., 975 p.
- Bergman, T. (1775) (reprinted 1779): De magnesia. pp.365-404, *in*: Opuscula physica et chemica, pleraque antea seorsium edita jam ab auctore collecta, revisa et aucta. Vol.1 = 411 p. Magni Swederi, Holmiae.
- Bernard, B. B. (1979): Methane in marine sediments. Deep-Sea Research, vol.26 A, pp.429-443.
- Berner, R. A. (1965): Dolomitization of the Mid-Pacific atolls. Science, vol.147, pp.1297-1299.
- Berner, R. A. (1966 A): Chemical diagenesis of some modern carbonate sediments. Am. Jour. Sci., vol.264, pp.1-36.
- Berner, R. A. (1965 B): Diagenesis of carbonate sediments: Interaction of magnesium in sea water with mineral grains. Science, vol.153, pp.188-191.
- Berner, R. A. (1978): Equilibrium, kinetics, and the precipitation of magnesian calcite from seawater – DISCUSSION. Am. Jour. Sci., vol.278, pp.1475-1477.
- Berner, R. A.; Scott, M. R. & Thomlinson, C. (1970): Carbonate alkalinity in the pore waters of anoxic marine sediments. Limnology & Oceanography, vol.15, pp.544-549.
- Bersa, E. (1920): Über das Vorkommen von kohlen-saurem Kalk in einer Gruppe von Schwefelbakterien. Sitzber. Akad. Wiss. Wien, math.-naturw. Kl., Abt.I, Bd.129, pp.231-259.
- Bersa, E. (1926): Über das Vorkommen von kohlen-saurem Kalk in einer Gruppe von Schwefelbakterien. Berichte d. Deut. botan. Ges., Bd.44, pp.474-478.
- Berthelot, M. (1869): Nouvelles recherches de thermo-chimie. Ann. de Chimie, Sér.4, vol.18, pp.5-201.
- Berthelot, M. (1875): Principes généraux de la thermo-chimie. Dixième Mémoire. Sur la formation des précipités. Ann. de Chimie et de la Physique, Sér.5, vol.4, pp.160-179.
- Berthelot, M. (1879): Essai de Mécanique Chimique, fondée sur la thermo-chimie. Tome Premier: Calorimétrie, 566 p; Tome Second: Mécanique, 774 p. Paris, Dunod.
- Berthier, P. (1806): Analyse d'une chaux carbonatée de Pesey. Ann. d. Chimie et de Physique, vol.58, pp.87-91.
- Berthier, P. (1822): Sur la composition de la magnésite et de la magnésie carbonatée. Annales des Mines, vol.7, pp.313-318.
- Berthier, P. (1823): De quelques carbonates natifs, à bases de chaux, de magnésie, de fer et de manganèse. Ann. des Mines, vol.8, pp.887-896.
- Berthollet, C. L. (1803): Essai de statique chimique. Première Partie: 543 p., Seconde Partie: 555 p. Paris, Firmin Didot.
- Bertrand-Geslin, A. (1834): "Lettre". Bull. Soc. géol. France, vol.6, pp.8-9.
- Berzelius, J. J. (1820): Examen de quelques composés qui dépendent d'affinités très-faibles. Ann. d. Chemie et de Physique, sér.2, vol.14, pp.363-396.

- Berzelius, J. J. (1821): Untersuchung über einige Verbindungen welche auf schwächeren Verwandtschaften beruhen. *Jour. f. Chemie u. Physik*, Bd.31, pp.258-288.
- Berzelius, J. J. (1825): "Tyroler Alpen". Jahres-Bericht über die Fortschritte der physischen Wissenschaften, der Chemie und Mineralogie (Berzelius'), vol.4, pp.251-253.
- Berzelius, J. J. (1836): Lehrbuch der Chemie (4. Aufl.). Bd.4 = 766 p., Bd.5 = 484 p. Arnoldischen Buchhandlung, Dresden.
- Bethe, H. A. (1935): Statistical theory of superlattices. *Proc. Roy. Soc. London, ser.A*, vol.150, pp.552-575.
- Bethe, H. A. & Kirkwood, J. G. (1939): Critical behavior of solid solutions in the order – disorder transformation. *Jour. Chem. Physics*, vol.7, pp.578-582.
- Beudant, F. S. (1824): *Traité élémentaire de minéralogie*. Verdière, Paris, 856 p.
- Beudant, F. S. (1832): *Traité élémentaire de Minéralogie*. (Deuxième Edition) Chez Verdière, Paris, Tome II = 797 p.
- Beyer, K. H. (1958): The mechanism of action of chlorothiazide. *Ann. New York Acad. Sci.*, vol.71, pp.363-379.
- Bibra, Freiherrn von (1863): Ueber die chemische Bestandtheile einiger Kalkgesteine. *Jour. f. prakt. Chemie*, Bd.90, pp.416-432.
- Biedermann, E. (1960): Seitenbandintensitäten bei der kohärenten Entmischung im System Kupfer – Nickel – Eisen. *Acta Cryst.*, vol.13, pp.650-652.
- Biedl, A. & Preisinger, A. (1962): Synthese von Huntit, $\text{CaMg}_3(\text{CO}_3)_4$. *Anzeiger Akad. Wiss. Wien*, 1962, No.10, pp.148-149.
- Biellmann, C.; Gillet, P.; Guyot, F.; Peyronneau, J. & Renard, B. (1993): Experimental evidence for carbonate stability in the Earth's mantle. *Earth and Planetary Sci. Letters*, vol.118, pp.31-41.
- Binney, E. W. (1868-1875): Observations on the structure of fossil plants found in the Carboniferous strata (IV Parts). *Palaeontographical Society*, London, 147 p.
- Bineau, A. (1857): Remarques sur les dissolutions de quelques carbonates et notamment du carbonate de chaux. *Ann. de Chimie et de Physique, Sér.3*, vol.51, pp.290-305.
- Birnbaum, S. J. & Wireman, J. W. (1984): Bacterial sulfate reduction and pH: Implications for early diagenesis. *Chemical Geology*, vol.43, pp.143-149.
- Bischof, G. (1855): *Lehrbuch der chemischen und physikalischen Geologie*. Bd.II, 2.Abt., pp.845-1666. Adolph Marcus, Bonn.
- Bischoff, W. D.; Bishop, F. C. & Mackenzie, F. T. (1983): Biogenically produced magnesian calcite: Inhomogeneities in chemical and physical properties; Comparison with synthetic phases. *Am. Mineral.*, vol.68, pp.1183-1188.
- Bischoff, W. D.; Sharma, S. K. & Mackenzie, F. T. (1985): Carbonate ion disorder in synthetic and biogenic magnesian calcites: A Raman spectral study. *Am. Mineral.*, vol.70, pp.581-589.

- Bissell, H. J. (1952): Stratigraphy of Lake Bonneville and associated Quaternary deposits in Utah Valley, Utah (ABSTRACT). *Bull. Geol. Soc. Am.*, vol.63, p.1358.
- Bissell, H. J. & Chilingar, G. V. (1962): Evaporite type dolomite in salt flats of Western Utah. *Sedimentology*, vol.1, pp.200-201.
- Bjerrum, N. (1909): Julius Thomsen. *Berichte d. Deut. chem. Gesellschaft*, Bd.42, pp.4971-4988.
- Black, J. (1755) (reprinted 1898), *Experiments upon magnesia alba, quick-lime, and other alkaline substances*. W. F. Clay, Edinburgh, 46 p.
- Black, M. (1933): The algal sediments of Andros Island, Bahamas. *Phil. Trans. Roy. Soc. London*, ser.B, vol.222, pp.165-192.
- Blackburn, T. H. (1983): The microbial nitrogen cycle. Chapter 3, pp.63-89, in: Krumbein, W. E. (ed./1983): *Microbial geochemistry*. Blackwell, Oxford, 330 p.
- Blake, D. F. & Peacor, D. R. (1981): Biomineralization in crinoid echinoderms: Characterization of crinoid skeletal elements using TEM and STEM microanalysis. *Scanning Electron Microscopy*, Year 1981, pp.321-328.
- Blake, D. F. & Peacor, D. R. (1985): TEM/STEM Microanalysis of Holocene freshwater magnesian carbonate cements from the coast range of California. *Am. Mineral.*, vol.70, pp.388-394.
- Blake, D. F.; Peacor, D. R. & Allard, L. F. (1984): Ultrastructural and micro-analytical results from echinoderm calcite: Implications for biomineralization and diagenesis of skeletal material. *Micron and Microscopia Acta*, vol.15, pp.85-90.
- Blake, D. F.; Peacor, D. R. & Wilkinson, B. H. (1982): The sequence and mechanism of low-temperature dolomite formation: Calcian dolomites in a Pennsylvanian echinoderm. *Jour. Sedim. Petrol.*, vol.52, pp.59-70.
- Blakeslee, A. E. & Aliotta, C. F. (1970): Man-made superlattice crystals. *IBM Jour. Res. Develop.*, vol.14, pp.686-688.
- Blanc, M. le & Richter, K. (1923): Verhalten und Eigenschaften von Magnesiumoxyden verschiedener Herkunft. *Z. f. physik. Chemie*, Bd.107, pp.357-402.
- Blum, J. H. (1843): *Die Pseudomorphosen des Mineralreichs*. E. Schweizerbart, Stuttgart, 378 p. + Nachtrag = 213 p. + Zweiter Nachtrag = 140 p.
- Blum, L. (1907): Leesbergite, un nouveau carbonate calcaréo – magnésique. *Ann. Soc. géol. Belgique*, vol.34, pp.118-120.
- Bockris, J. O'M. (1949): Ionic solvation. *Quart. Rev. Chem. Soc. London*, vol.3, pp.173-180.
- Bockris, J. O'M. & Reddy, A. K. N. (1970): *Modern electrochemistry*. vol.1 = 622 p., vol.2 = p.622-1432, Plenum Press, New York.
- Bockris, J. O'M. & Saluja, P. P. S. (1972): Ionic solvation numbers from compressibilities and ionic vibration potentials measurements. *Jour. Phys. Chem.*, vol.76, pp.2140-2151.
- Bodländer, G. (1899): Ueber feste Lösungen. *Neues Jb. Mineral., Beil.-Bd. 12*, pp.52-114.

- Bøggild, O. B. (1916): Meeresgrundproben der Siboga-Expedition. (Uitkomsten op zoologisch, botanisch, oceanographisch en geologisch gebied, Bd.65) E. J. Brill, Leiden, 40 p.
- Bøggild, O. B. (1930): The shell structure of mollusks. Kongelige Danske Videnskabers Selskabs Skrifter; Naturvidensk. og Math. afd., Raekke 2, pp.232-325.
- Bokov, P. G. & Veneva, R. S. (1971): Reefogenic nature of oil-bearing dolomites in the Dolni-Dubnik deposit. Chem. Abstr., vol.75 (1971), no.153,859 k.
- Bol, W.; Gerrits, G. J. A. & Panthaleon van Eck, C. L. van (1970): The hydration of divalent cations in aqueous solution. An X-ray investigation with isomorphous replacement. Jour. Appl. Cryst., vol.3, pp.486-492.
- Boldireva, T. A. & Slivko, E. P. (1959): Mineral inclusions in the coal of the Lvov-Volhynia Basin. Chem. Abstr., vol.55 (1961), no.26,405 a.
- Boltzmann, L. (1877): Über die Beziehung zwischen den zweiten Hauptsätze der mechanischen Wärmetheorie und der Wahrscheinlichkeitsrechnung respektive den Sätzen über das Wärmegleichgewicht. Sitzber. d. math.-naturw. Cl. d. kaiserl. Akad. Wiss (Wien), Abt.II, Bd.76, pp.373-435.
- Boltzmann, L. (1896): Vorlesungen über Gastheorie. I. Theil: Theorie der Gase mit einatomigen Molekülen, deren Dimensionen gegen die mittlere Weglänge verschwinden. J. A. Barth, Leipzig, 204 p.
- Boltzmann, L. (1897): Zu Hrn. Zermelo's Abhandlung "Über die mechanische Erklärung irreversibler Vorgänge". Ann. d. Physik, Bd.60, pp.392-398.
- Bone, Y.; James, N. P. & Kyser, T. K. (1991): Dolomitization of Tertiary and Quaternary cool-water shelf carbonate sediments, southern Australia. pp.27-28, in: Bosellini, A. et al. (eds.): Dolomieu conference on carbonate platforms and dolomitization. Abstracts.
- Bonython, C. W. (1956): The salt of Lake Eyre – its occurrences in Madigan Gulf and its possible origin. Proc. Soc. South Australia, Trans., Vol.79, pp.66-90.
- Borch, C. C. von der (1965): The distribution and preliminary geochemistry of modern carbonate sediments of the Coorong area, South Australia. Geochim. Cosmochim. Acta, vol.29, pp.781-799.
- Borch, C. C. von der (1976): Stratigraphy and formation of Holocene dolomitic carbonate deposits of the Coorong area, South Australia. Jour. Sed. Petrol., vol.46, pp.952-966.
- Borch, C. C. von der & Jones, J. B. (1976): Spherular modern dolomite from the Coorong area, South Australia. Sedimentology, vol.23, pp.587-591.
- Borch, C. C. von der & Lock, D. (1979): Geological significance of Coorong dolomites. Sedimentology, vol.26, pp.813-824.
- Borch, C. C. von der; Lock, D. E. & Schwebel, D. (1975): Ground-water formation of dolomite in the Coorong region of South Australia. Geology, vol.3, pp.283-285.
- Born, M. (1921): Kritische Betrachtungen zur traditionellen Darstellung der Thermodynamik. Physik. Zeitschr., Bd.22, pp.218-224 + pp.249-254 + pp.282-286.

- Botha, G. A. & Hughes, J. C. (1992): Pedogenic palygorskite and dolomite in a Late Neogene sedimentary succession, northwestern Transvaal, South Africa. *Geoderma*, vol.53, pp.139-154.
- Boué, A. (1831): *Compte rendu des progrès de la géologie*. Bull. Soc. Géol. France, vol.1, pp.105-124.
- Bourgeois, L. (1886 A): Nouveaux procédés de préparation des carbonates cristallisés. *Compt. Rend. (Acad. Sci. Paris)*, vol.103, pp.1088-1091.
- Bourgeois, L. (1886 B): Nouveaux procédés de préparation des carbonates cristallisés. *Bull. Soc. Chim. France*, vol.47, pp.81-83.
- Bourgeois, L. & Traube, H. (1892): Sur la reproduction de la dolomie. *Bull. Soc. Min. France*, vol.15, pp.13-15.
- Bourrouilh-Le Jan, F. (1973 A): Les dolomies et leurs genèses. *Bull. Centre Rech. Pau – SNPA*, vol.7, pp.111-135.
- Bourrouilh, F. (1973 B): Dolomitisation actuelle dans le monde. Une revue. *Sciences de la Terre (Nancy)*, vol.18, pp.279-298.
- Bourrouilh, F. (1975): Géochimie et isotopie des calcaires et dolomies de Lifou, sondages et subsurface: diagenèses et évolution d'une plate-forme carbonatée du Pacifique du SW. *IXième Congrès Int. Sédimentologie Nice 1975 – Extraits et Publications*, pp.25-32.
- Bourrouilh-Le Jan, F. (1980): Hydrologie des nappes d'eau superficielles de l'île Andros, Bahama. Dolomitisation et diagenèse de plaine d'estran en climat tropical humide. *Bull. Centre Rech. Explor.-Prod. Elf-Aquitaine*, vol.4, pp.661-707.
- Bourrouilh-Le Jan, F.; Carsin, J. L.; Niaussat, P. M. & Thommeret, Y. (1985): Sédimentation phosphatée actuelle dans le lagon confiné de l'île de Clipperton (Océan Pacifique). *Datations, sédimentologie et géochimie. Sciences Geol., Mémoire No.77*, pp.109-124.
- Boussignault, J. B. (1825): Observations sur quelques carbonates. *Ann. de Chimie et de Physique*, vol.29, pp.283-288.
- Bouvier, A. M. J. (1791): Analyse de la Coralline Cor. officinalis de Linnaeus. *Ann. de Chimie, ou Recueil de Mémoires concernant la chimie et les arts qui en dependent*, vol.8, pp.308-318.
- Bowers, H. R. (1935): Analysis of magnesium carbonate. *Jour. Am. Pharmaceutical Assoc.*, vol.24, pp.128-130.
- Boynton, D. & Reuther, W. (1939): Seasonal variation of oxygen and carbon dioxide in three different orchard soils during 1938 and its possible significance. *Proc. Am. Soc. Hort. Sci.*, vol.36, pp.1-6.
- Braddock, W. A. & Bowles, C. G. (1963): Calcitization of dolomite by calcium sulfate solutions in the Minnelusa Formation, Black Hills, South Dakota and Wyoming. *U.S. Geol. Survey, Prof. Paper no.475 – C, Article 84*, pp.96-99.
- Bradley, W. F.; Burst, J. F. & Graf, D. L. (1953): Crystal chemistry and differential thermal effects of dolomite. *Am. Mineral.*, vol.38, pp.207-217.

- Brady, P. V.; Krumhansl, J. L. & Papenguth, H. W. (1996): Surface complexation clues to dolomite growth. *Geochim. Cosmochim. Acta*, vol.60, pp.727-731.
- Bragg, W. H. (1912): The diffraction of short electromagnetic waves by a crystal. *Proc. Cambridge Phil. Soc.*, vol.17, pp.43-57.
- Bragg, W. L. (1914 A): The structure of some crystals as indicated by their diffraction of X-rays. *Proc. Roy. Soc. London, Ser.A*, vol.89, pp.248-277.
- Bragg, W. L. (1914 B): The analysis of crystals by the X-ray spectrometer. *Proc. Roy. Soc. London, Ser.A*, vol.89, pp.468-489.
- Bragg, W. H. & Bragg, W. L. (1913): The reflection of X-rays by crystals. *Proc. Roy. Soc. London, Ser.A*, vol.88, pp.428-438.
- Bragg, W. L. & Williams, E. J. (1934): The effect of thermal agitation on atomic arrangement in alloys. *Proc. Roy. Soc. London, Ser.A*, vol.145, pp.699-730.
- Bragg, W. L.; Darwin, C. G. & James, R. W. (1926): The intensity of reflexion of X-rays by crystals. *Phil. Magaz., Ser.7*, vol.1, pp.897-922.
- Brand, T. von & Weinbach, E. C. (1975): Incorporation of calcium into the soft tissues and calcareous corpuscles of larval *Taenia taeniaeformis*. *Zeitschr. f. Parasitenkunde*, Bd.48, pp.53-63.
- Brand, T. von; Nylen, M. U.; Martin, G. N.; Churchwell, F. K. & Stites, E. (1969): Cestode calcareous corpuscles: Phosphate relationships, crystallization patterns, and variations in size and shape. *Experimental Pathology*, vol.25, pp.291-310.
- Branner, J. C. (1904): The stone reefs of Brazil, their geological and geographical relations, with a chapter on the coral reefs. *Bull. Harvard Coll., Museum Comp. Zoology*, vol.44, 285 p.
- Brätter, P.; Möller, P. & Rösick, U. (1972): On the equilibrium of coexisting sedimentary carbonates. *Earth and Planetary Science Letters*, vol.14, pp.50-54.
- Brauns, R. (1892): Zur Isomorphismus in der Dolomitreihe. *Neues Jahrb. Mineral.*, Jg.1892, pp.210-212.
- Brauns, R. (1900): Beobachtungen über die Krystallisation des Schwefels aus seinem Schmelzfluss. *Neues Jahrb. Mineral., Beil.-Bd.13*, pp.39-89.
- Breithaupt, A. (1841): Vollständiges Handbuch der Mineralogie. Bd.2. Des speziellen Theils erste Abtheilung. *Arnoldischen Buchhandlung, Dresden*, 406 p.
- Bridgman, P. W. (1941): The nature of thermodynamics. *Harvard University Press, Cambridge (Mass.)*, 229 p.
- Brill, O. (1905 A): Verfahren zur Erzeugung von lockerem, neutralem Magnesiumcarbonat. *Deutsches Reichs Patent* 164.882.
- Brill, O. (1905 B): Über die Dissoziation der Karbonate der Erdalkalien und des Magnesiumkarbonats. *Z. anorg. allg. Chemie*, Bd.45, pp.275-292.
- Brinkhoff, Firma Ewald (1920): Verfahren zur Herstellung von Magnesit aus Ablaugen der Kali Industrie. *Deutsches Reich Patentschrift* 382.042.

- Brinkhoff, Firma Ewald (1921): Verfahren zur Herstellung von kristallisiertem Magnesit. Deutsches Reich Patentschrift 383.433.
- Brise, D. J. (1928): Dolomitization processes in the Paleozoic horizons of Manitoba. *Chem. Abstr.*, vol.23 (1929), no.5,448 (3).
- Brisou, J. (1955): *Microbiologie du milieu marin*. Flammarion, Paris, 271 p.
- Britton, H. T. S. (1926): Hydrogen electrode studies of the precipitation of basic chromates, borates and carbonates. *Jour. Chem. Soc. (London)*, 1926, pp.125-147.
- Broad, W. & Wade, N. (1985): *Betrayers of the truth*. Oxford University Press, Oxford, 256 p.
- Brochant, A. J. M. (1801-1802): *Traité élémentaire de minéralogie*. Villier, Paris. Vol.1 = 644 p.; Vol.2 = 674 p.
- Bronghiart, A. (1822): Notice sur la magnésite du Bassin de Paris et sur les gisements de cette roche dans divers lieux. *Ann. des Mines*, vol.7, pp.291-318.
- Brooks, R.; Clark, L. M. & Thurston, E. F. (1950): Calcium carbonate and its hydrates. *Phil. Trans. Roy. Soc. London, Ser.A*, vol.243, pp.145-167.
- Brooks, R. R.; Presley, B. J. & Kaplan, I. R. (1968): Trace elements in the interstitial waters of marine sediments. *Geochim. Cosmochim. Acta*, vol.32, pp.397-414.
- Broughton, P. L. (1974): Protodolomite and hydromagnesite in cave deposits of Sumidero Tenejapa, Chiapas, Mexico. *Bol. Soc. Venezolana Espelogia (Caracas)*, vol.5, pp.19-25.
- Brousse, R. & Guerin, H. (1966): Plaques de nesquehonite sur la brèche du Cantal. *Bull. Soc. Franç. Min. Crist.*, vol.89, pp.281-282.
- Brown, B. J. & Farrow, G. E. (1978): Recent dolomitic concretions of crustacean burrow origin from Loch Sunart, West coast of Scotland. *Jour. Sed. Petrol.*, vol.48, pp.825-833.
- Brown, R. (1828): Mikroskopische Beobachtungen über die im Pollen der Pflanzen enthaltenen Partikeln, und über das allgemeine Vorkommen activer Molecüle in organischen und unorganischen Körpern. *Ann. d. Physik*, Bd.14, pp.294-313.
- Brückner, W. (1941): Über die Entstehung der Rauhacken und Zellendolomite. *Eclogae Geol. Helvetica*, Bd.34, pp.117-134.
- Brugnatelli, L. (1889): Ueber ein wahrscheinlich neues Mineral aus den Asbestgruben in Val Brutta (Veltlin). *Z. Krist.*, Bd.31, pp.54-55.
- Brugnatelli, L. (1906): Ueber Artinit, ein neues Mineral der Asbestgruben von Val Laterna (Veltlin). *Centrblatt f. Mineral usw.*, Jg.1906, pp.144-148.
- Brun, A. (1881): Mineralogische Notizen. *Z. Krist.*, Bd.5, pp.103-105.
- Brunel, M.; Chayé d'Albissin, M. & Locquin, M. (1984): Détermination d'un âge Cambrien des séries carbonatées à magnésite situées sous le grand chevauchement Himalayen (Main Central Thrust – Népal oriental) par la découverte de Paléobasidiospores. *Geobios (Lyon)*, vol.17, pp.595-610.
- Bryant, M. P. (1965): Rumen methanogenic bacteria. pp.411-418, in: Dougherty, R. W. et al. (eds./1965): *Physiology of digestion in the ruminant*. Butterworths, Washington.

- Bubb, J. N. & Perry, D. (1968): Porosity in some synthetic dolomites. *Jour. Sed. Petrol.*, vol.38, pp.247-249.
- Buch, L. von (1822 A): Ueber Dolomit als Gebirgsart. *Abh. kgl. Akad. Wiss. Berlin*, 1822, pp.83-136.
- Buch, L. de (1822 B): Lettre à M. Alex Brongniart, Membre de l'Institut, sur le gissement des couches calcaires à empreintes de poissons et sur les dolomies de la Franconie. *Jour. de Physique, etc.*, vol.95, pp.258-266.
- Buch, L. von (1823): Sur la dolomie du Tyrol. *Ann. de Chimie et de Physique, Ser.2*, vol.23, pp.396-409.
- Buch, L. von (1824): Ueber die Lagerungs-Verhältnisse der Kalkschichten mit Fisch-Abdrücken und über den Dolomit im Frankenlande. *Taschenbuch für die gesammte Mineralogie usw.*, Jg.1824, pp.239-260.
- Buchan, J. L. (1927): The free energy of transitions in the system calcite – aragonite. *Trans. Faraday Soc.*, vol.23, pp.668-671.
- Buchanan, R. E. & Gibbons, N. E. (eds./1974): *Bergey's Manual of Determinative Bacteriology*. (8th Edition) Williams & Wilkins, Baltimore, 1246 p.
- Buchanan, R. E.; Holt, J. G. & Lessel Jr., E. F. (eds./1966): *Index Bergeyana*. An annotated alphabetic listing of names of the taxa of the bacteria. Williams & Wilkins, Baltimore, 1472 p.
- Buchbinder, B. (1979): Facies and environments of Miocene reef limestones in Israel. *Jour. Sedim. Petrol.*, vol.49, pp.1323-1344.
- Buchdrucker, L. (1891): Die Mineralien der Erzlagerstätten von Leogang in Salzburg. *Z. Krist.*, Bd.19, pp.113-166.
- Bucholz, Professor & Meissner, Apotheker (1815): Versuche zur Bestimmung des Strontian-Gehaltes mehrerer Arten Arragone. *Jour. f. Chemie u. Physik*, Bd.13, pp.1-71.
- Budai, J. M.; Lohmann, K. C. & Owen, R. M. (1984): Burial dedolomite in the Mississippian Madison Limestone, Wypoming and Utah Thrust Belt. *Jour. Sed. Petrol.*, vol.54, pp.276-288.
- Buddemeier, R. W. & Oberdorfer, J. A. (1986): Internal hydrology and geochemistry of coral reefs and atoll islands: Key to diagenetic variations. pp.91-111, in: Schroeder, J. H. & Purser, B. H. (eds.): *Reef diagenesis*. Springer-Verlag, Berlin, 455 p.
- Budzinski, H. (1961): Zum Problem der wässerigen Bildung von Dolomit. *Fortschritte der Mineralogie*, Bd.39, pp.27-33.
- Buelter, D. P. & Guillmette, R. N. (1988): Geochemistry of epigenetic dolomite, associated with lead-zinc mineralization of the Viburnum Trend, Southeast Missouri: A reconnaissance study. pp.85-95, in: Shukla, V. & Baker, P. A. (eds.): *Sedimentology and geochemistry of dolostones*. Society of Economic Paleontologists and Mineralogists, Tulsa (Oklahoma).
- Bullen, S. B. & Sibley, D. F. (1982): Dolomite selectivity, an experimental approach. *Am. Assoc. Petrol. Geol. Bull.*, vol.67, pp.433-434.

- Bullen, S. B. & Sibley, D. F. (1984): Dolomite selectivity and mimic replacement. *Geology*, vol.12, pp.655-658.
- Bunsen, R. W. (1847): Bemerkungen zu einigen Einwürfen gegen mehrere Ansichten über die chemisch-geologischen Erscheinungen in Island. *Ann. der Chemie u. Pharmacie*, Bd.65, pp.70-85.
- Burgess, J. (1978): *Metal ions in solution*. Ellis Horwood, Chichester, 481 p.
- Burnett, W. C. (1977): Geochemistry and origin of phosphorite deposits from off Peru and Chile. *Geol. Soc. Am. Bull.*, vol.88, pp.813-823.
- Burton, B. & Kikuchi, R. (1984): Thermodynamic analysis of the system $\text{CaCO}_3 - \text{MgCO}_3$ in the tetrahedron approximation of the cluster variation method. *Am. Mineral.*, vol.69, pp.165-175.
- Burton, E. A.; Hahn, T. & Machel, H. G. (1992): Magnesium sulfate brine lakes that precipitate dolomite: Evidence that Mg^{2+} - dehydration is more important than removal of SO_4^{2-} inhibition in dolomite formation. pp.617-620, in: Kharaka, Y. K. & Maest, A. S. (eds.): *Water – rock interaction*. Balkema, Rotterdam.
- Busenberg, E. & Plummer, L. N. (1982): The kinetics of dissolution of dolomite in $\text{CO}_2 - \text{H}_2\text{O}$ systems at 1.5 to 65 °C and 0 to 1 atm pCO_2 . *Am. Jour. Sci.*, vol.282, pp.45-78.
- Bush, P. (1973): Some aspects of the diagenetic history of the sabkha in Abu Dhabi, Persian Gulf. pp.395-407, in: Purser, B.H. (ed.): *The Persian Gulf*. Springer Verlag, Berlin.
- Bustillo, A.; García, A.; Marfill, R.; Ordóñez, S. & De la Peña, J. A. (1978): Estudio sedimentológico de algunas lagunas de la región Manchega, sector Lillo – Villacañas – Quero (Provincia de Toledo). *Estudios Geologicos (Madrid)*, vol.34, pp.187-191.
- Buswell, A. M. & Sollo, F. W. (1948): The mechanism of the methane fermentation. *Jour. Am. Chem. Soc.*, vol.70, pp.1778-1780.
- Butler, G. P. (1969): Modern evaporite deposition and geochemistry of coexisting brines, the sabkha, Trucial Coast, Arabian Gulf. *Jour. Sed. Petrol.*, vol.39, pp.70-89.
- Bütschli, O. (1908): Untersuchung über organische Kalkgebilde nebst Bemerkungen über organische Kieselgebilde, insbesondere über das spezifische Gewicht in Beziehung zu der Struktur, die chemische Zusammensetzung und Anderes. *Abh. Kgl. Ges. Wiss. Göttingen, math.-physik. Kl., N.F.*, Bd.6, No.3, pp.1-177.
- Caillère, S. (1943): Contribution à l'étude de l'hydromagnésite et de quelques autres hydrocarbonates magnésiens: l'Hydrogiobertite, l'hydrodolomite et la giorgiosite. *Bull. Soc. Franç. Minéral.*, vol.66, pp.55-70.
- Calvo Betes, J.; Gonzalez Lopez, J. M.; Gonzalez Martinez, J. & Villena Moreles, J. (1978): Primeros datos sobre la sedimentacion de dolomia en la Laguna de Gallocanta (Provincias de Zaragoza y Teruel). *Tectniterrae*, vol.4, pp.6-15.
- Camur, M. Z. & Mutlu, H. (1996): Major-ion geochemistry and mineralogy of the Salt-Lake (Tuz Goelü) basin, Turkey. *Chemical Geology*, vol.127, pp.313-329.
- Cander, H. S.; Kaufman, J.; Daniels, L. D. & Meyers, W. J. (1988): Regional dolomitization of shelf carbonates in the Burlington – Keokuk Formation (mississippian), Illinois and

- Missouri: Constraints from cathodoluminescent zonal stratigraphy. pp.129-144 in: Shukla, V. & Baker, P. A. (eds.): Sedimentology and geochemistry of dolostones. Society of Economic Paleontologists and Mineralogists, Tulsa (Oklahoma).
- Capo, R. C.; Whipkey, C. E.; Blachère, J. R. & Chadwick, O. A. (2000): Pedogenic origin of dolomite in a basaltic weathering profile, Kohala peninsula, Hawaii. *Geology*, vol.28, pp.271-274.
- Cappenberg, T. E. (1974 A): Interrelations between sulfate-reducing and methane-producing bacteria in bottom deposits of a fresh water lake. I. Field observations. *Antonie van Leeuwenhoek*, vol.40, pp.285-295.
- Cappenberg, T. E. (1974 B): Interrelations between sulfate-reducing and methane-producing bacteria in bottom deposits of a fresh water lake. II. Inhibition experiments. *Antonie van Leeuwenhoek*, vol.40, pp.297-306.
- Carathéodory, C. (1909): Untersuchungen über die Grundlagen der Thermodynamik. *Mathematische Annalen*, Bd.67, pp.355-386.
- Carballo, J. D. & Land, L. S. (1984): Holocene dolomitization of Sugarloaf sediments by active tidal pumping, Sugarloaf Key, Florida. *Am. Assoc. Petrol. Geol. Bull.*, vol.68, p.459.
- Carballo, J. D.; Land, L. S. & Miser, D. E. (1987): Holocene dolomitization of supratidal sediments by active tidal pumping, Sugarloaf Key, Florida. *Jour. Sed. Petrol.*, vol.57, pp.153-165.
- Carnot, S. (1824): Reflexions sur la puissance motrice de feu et sur les machines propres à developper cette puissance. Bachelier, Paris, 65 p.
- Carpenter, A. B. (1961): Mineral assemblage magnesium calcite – aragonite – huntite at Crestmore, California. *Geol. Soc. Am., Abstracts for 1961*, p.146.
- Carpenter, A. B. (1980): The chemistry of dolomite formation. I: The stability of dolomite. pp.111-121, in: Zenger, D. H. et al. (eds.): Concepts and models of dolomitization. Soc. Econ. Pal. Min., Tulsa (Oklahoma).
- Carrière, D. (1987): Enregistrement sédimentaire, diagénétique et morphologique d'un bombement lithosphérique sur l'atoll soulevé de Maré, archipel des Loyautés, Nouvelle Calédonie. *Compt. Rend. (Acad. Sci. Paris), Sér.3*, vol.305, pp.975-980.
- Carsola, A. J. & Dietz, R. S. (1952): Submarine geology of two flat-topped northeast Pacific seamounts. *Am. Jour. Sci.*, vol.250, pp.481-497.
- Cassedanne, J. & Cassedanne, J. (1963): Two new deposits of huntite. *Chem. Abstracts*, vol.61 (1961), no.6,782 a.
- Castanier, S.; Maurin, A. & Perthuisot, J. P. (1988): Les cugnites: carbonates amorphes de Ca et Mg, précurseurs possibles de la dolomie. *Compt. Rend. (Acad. Sci. Paris), Sér.2*, vol.306, pp.1231-1235.
- Cayeux, L. (1935): Les roches sédimentaires de France – Roches carbonatées (calcaires et dolomies). Masson & Cie., Paris, 463 p.
- Centnerszwer, M. & Bružs, B. (1925): Die stufenweise Dissoziation des Magnesiumkarbonats. *Z. f. physik. Chemie*, Bd.114, pp.237-250.

- Cesàro, G. (1910): Sur la Nesquehonite. Appendice. Bull. Acad. Roy. Belg., 1910, pp.844-845.
- Chandy, K. C. (1970): X-ray investigation of coals from Laikdik seam, Raniganj coalfield. Proc. Nat. Inst. Sci. India, Part A, vol.36, pp.53-64.
- Charles, R. P. (1948): The Lias of southeastern Provence. Chem. Abstr., vol.45 (1951), no.6,548 d.
- Chave, K. E. (1952): A solid solution between calcite and dolomite. Jour. Geol., vol.60, pp.190-192.
- Chave, K. E. (1954 A): Aspects of the biogeochemistry of magnesium. I. Calcareous marine organisms. Jour. Geol., vol.62, pp.266-283.
- Chave, K. E. (1954 B): Aspects of the biogeochemistry of magnesium. II. Calcareous sediments and rocks. Jour. Geol., vol.62, pp.587-599.
- Chauveau, J. C.; Deneufbourg, G. & Sarcia, J. A. (1967): Observations sur l'infrastructure de l'atoll de Mururoa (archipel des Tuamotu, Pacifique Sud). Compt. Rend. (Acad. Sci. Paris), Sér. D, vol.265, pp.1113-1116.
- Chayé d'Albissin, M. & Guillou, J. J. (1985): La conservation de microorganismes dans une magnésite spathique et ses incidences cristallogénétiques et sédimentologiques. Compt. Rend. (Acad. Sci. Paris), Sér.2, vol.301, pp.797-799.
- Chayé d'Albissin, M. & Guillou, J. J. (1988): Sur l'origine sédimentaire des magnésites antéjurassiques: Une approche interdisciplinaire. Bull. Soc. Géol. France, vol.4, pp.871-877.
- Chazen, P. & Ehrlich, R. (1973): Low-temperature synthesis of dolomite from aragonite. Geol. Soc. Am. Bull., vol.84, pp.3627-3634.
- Chen, S.; Morris, J. W. & Khachaturyan, A. G. (1979): The computer simulation of the formation of "tweed" and modulated structures in decomposition reactions. pp.168-172, in: Cowley, J. M. et al. (eds.): Modulated structures – 1979. Am. Inst. of Physics, New York, 432 p.
- Chepikov, K. R.; Ermolova, E. R. & Orlova, N. A. (1964): Authigenic minerals in oil-bearing terrigenous rocks. Chem. Abstr., vol.62 (1965), no.15,939 f.
- Chessin, H.; Hamilton, W. C. & Post, B. (1965): Position and thermal parameters of oxygen atoms in calcite. Acta Cryst., vol.18, pp.689-693.
- Chester, A. H. (1887): Mineralogical notes from the laboratory of Hamilton College. Am. Jour. Sci., vol.33, pp.284-291.
- Chester, A. H. (1896): A dictionary of minerals including their history and etymology. J. Wiley & Sons, New York, 320 p.
- Chevalier, J. P. (1973): Coral reefs of New Caledonia. pp.143-167, in: Jones, O. A. & Endean, R. (eds.): Biology and geology of coral reefs. Academic Press, New York, 410 p.
- Chevalier, J. P. & Repellin, P. (1978): Observations préliminaires sur la pétrographie et la paléontologie du sondage Écho II (Atoll de Fangataufa, Polynésie française). Compt. Rend. Sommaire des Séances de la Soc. Géol. France, fasc.2, pp.67-68.

- Chilingar, G. V. (1956 A): Dedolomitization: A review. *Bull. Am. Assoc. Petrol. Geol.*, vol.40, pp.762-764.
- Chilingar, G. V. (1956 B): Use of Ca/Mg ratio in porosity studies. *Bull. Am. Assoc. Petrol. Geol.*, vol.40, pp.2489-2493.
- Chilingar, G. V. & Bissell, H. J. (1963): Formation of dolomite in sulfate-chloride solutions. *Jour. Sedim. Petrol.*, vol.33, pp.801-803.
- Chipman, D. & Warren, B. E. (1951): X-Ray measurement of long range order in β -brass. *Jour. Appl. Physics*, vol.21, pp.696-697.
- Cho, A. Y. (1971): Growth and periodic structures by the molecular-beam method. *Appl. Phys. Lett.*, vol.19, pp.467-468.
- Christ, C. L. & Hostetler, P. B. (1970): Studies in the system MgO – SiO₂ – CO₂ – H₂O (II): The activity-product constant of magnesite. *Am. Jour. Sci.*, vol.268, pp.439-453.
- Christiansen, G. A. & Kramers, H. A. (1924): Über die Geschwindigkeit chemischer Reaktionen. *Z. f. physik. Chemie*, Bd.104, pp.451-469.
- Clar, E. (1928): Mikroskopische Untersuchung an der Magnesitlagerstätte von Kraubath in Steiermark. *Z. f. prakt. Geol.*, Bd.36, pp.97-102.
- Clar, E. (1931): Die Gefügereglung eines Bändermagnesits (aus der Breitenau bei Mixnitz, Steiermark). *Jahrb. Geol. Bundes Anstalt Wien*, Bd.81, pp.387-401.
- Clark, D. N. (1980): The diagenesis of Zechstein carbonate sediments. pp.167-203 in: Füchtbauer, H. & Peryt, T. (eds.): *The Zechstein Basin with emphasis on carbonate sequences (Symposium Warsaw 1978)*. Schweizerbart, Stuttgart.
- Clarke, F. W. (1904): Analyses of rocks from the laboratory of the United States Geological Survey. *U.S. Geol. Survey, Bulletin No.228*, 355 p.
- Clarke, F. W. & Wheeler, W. C. (1922): *The inorganic constituents of marine invertebrates*. (2nd. ed.) U.S. Geol. Survey, Prof. Papers No.124, 62 p.
- Clausius, R. (1854): Über eine veränderte Form des zweiten Hauptsatzes der mechanischen Wärmetheorie. *Ann. d. Physik u. d. Chemie*, Bd.169, pp.481-506.
- Clausius, R. (1857): Ueber die Art der Bewegung, welche wir Wärme nennen. *Ann. d. Physik u. Chemie*, Bd.100, pp.353-380.
- Clausius, R. (1865): Über verschiedenen für die Anwendung bequeme Formen der Hauptgleichung der mechanischen Wärmetheorie. *Ann. d. Physik*, Bd.125, pp.353-400.
- Clausius, R. (1876): *Die mechanische Wärmetheorie*. (2.Aufl.) Fr. Vieweg & Sohn, Braunschweig, Bd.1 = 388 p.
- Claypool, G. E. & Kaplan, I. R. (1974): The origin and distribution of methane in marine sediments. pp.99-140, in: Kaplan, I. R. (ed.): *Natural gases in sediments*. Plenum Press, New York, 324 p.
- Claypool, G. & Threlkeld, C. (1983): Anoxic diagenesis and methane generation in sediments of the Blake Outer Ridge, Deep Sea Drilling Project Site 533, Leg 76. pp.391-402, in:

- Sheridan, R. et al. (eds.): Initial Reports of the Deep Sea Drilling Project, vol.76. U.S. Gov. Printing Office, Washington, 946 p.
- Clayton, R. N.; Jones, B. F. & Berner, R. A. (1968): Isotope studies of dolomite formation under sedimentary conditions. *Geochim. Cosmochim. Acta*, vol.32, pp.415-432.
- Cloizeaux, A. des (1874): *Manuel de Minéralogie*. Dunod, Paris, Tome Second = 544 p.
- Cloud, P. E. (1962): Environment of calcium carbonate deposition West of Andros Island Bahamas. U.S. Geol. Survey, Prof. Papers no.350, 138 p.
- Cohen, E. & Hengel, J. W. A. van (1932): Die Metastabilität der Elemente und Verbindungen als Folge von Enantiotropie oder Monotropie. XVII. Fällungsreaktionen. II. *Z. f. physik. Chemie, Abt.A*, Bd.161, pp.179-191.
- Cohen, E. & Moesveld, A. L. T. (1920): Kristallisationsverzögerung in übersättigten Lösungen. *Z. f. physik. Chemie*, Bd.94, pp.482-504.
- Cohn, F. (1867): Beiträge zur Physiologie der Phycochromaceen und Florideen. *Archiv f. mikroskopische Anatomie*, Bd.3, pp.1-60.
- Cole, W. F. & Lancucki, C. J. (1975): Huntite from Deer Park, Victoria, Australia. *Am. Mineral.*, vol.60, pp.1130-1131.
- Collie, C. H. (1982): *Kinetic theory and entropy*. Longman, London, 393 p.
- Comin, F. A.; Julià, R.; Comin, M. P. & Plana, F. (1990): Hydrogeochemistry of Lake Gallocanta (Aragón, NE Spain). pp.51-66, in: Comin, F. A. & Northcote, T. G. (eds.): *Saline lakes*. Kluwer, Dordrecht.
- Compton, J. S. (1988): Degree of supersaturation and precipitation of organogenic dolomite. *Geology*, vol.16, pp.318-321.
- Cook, P. J. (1973): Supratidal environments and geochemistry of some Recent dolomite concretions, Queensland, Australia. *Jour. Sedim. Petrol.*, vol.43, pp.998-1011.
- Coomaraswamy, A. K. (1902): The crystalline limestones of Ceylon. *Quart. Jour. Geol. Soc. London*, vol.58, pp.399-424.
- Cooper Jr., H. H. (1959): A hypothesis concerning the dynamic balance of fresh water and salt water in a coastal aquifer. *Jour. Geophys. Research*, vol.64, pp.461-467.
- Coppet, M. de (1872): Recherches sur la température de congélation des dissolutions salines. *Ann. de Chimie et de Physique, Sér.4*, vol.25, pp.502-553.
- Coppet, M. de (1875): Théorie de la surfusion et de la sursaturation, d'après les principes de la théorie mécanique de la chaleur *Ann. de Chimie et de Physique*, vol.6, pp.275-288.
- Coppet, L. C. de (1907): Recherches sur la surfusion et la sursaturation. *Ann. de Chimie et de Physique, Sér.8*, vol.10, pp.457-527.
- Coquand, H. (1841): Modifications éprouvés par les calcaires au contact et au voisinage des roches ignées. *Bull. Soc. géol. France*, vol.12, pp.314-352.
- Cornu, F. (1907): Über die Bildungsbedingungen von Aragonit- und Kalksinter in den alten Grubenbauen der obersteirischen Erzbergwerke. *Oesterr. Zeitschr. Berg- u. Hüttenwesen*, Bd.55, pp.596-598.

- Cortelezzi, C. R. (1966): Exsolution of dolomite in calcite from Yocsina, Cordoba. *Chem. Abstracts*, vol.71 (1969), no.83,531 p.
- Coudray, J. (1971): Nouvelles données sur la nature et l'origine du complexe récifal de la Nouvelle-Calédonie. *Quaternary Research*, vol.1, pp.236-246.
- Cowley, J. M. (1960): The concept of long-range order and the measurement of order parameters. *Acta Cryst.*, vol.13, p.1059.
- Cowley, J. M.; Cohen, J. B.; Salamon, M. B. & Wuensch, B. J. (eds./1979): *Modulated structures*. American Institute of Physics, New York, 433 p.
- Credner, H. (1870): Ueber gewisse Ursachen der Krystallverschiedenheiten der kohlelsauren Kalke. *Jour. f. prakt. Chemie*, 2. N.F., Bd.110, pp.292-319.
- Crill, P. M. & Martens, C. S. (1986): Methane production from bicarbonate and acetate in an anoxic marine sediment. *Geochim. Cosmochim. Acta*, vol.50, pp.2089-2097.
- Crommelin, R. D. (1943): De herkomst van het waddenslib met korrelgrootte boven 10 micron. *Verhandelingen Geol.-Mijnb. Genootschap, Geol. Serie*, vol.13, pp.299-333.
- Crowther, J. A. (1911): On the energy and distribution of scattered Röntgen radiation. *Proc. Roy. Soc. (London)*, Ser.A, vol.85, pp.29-43.
- Cuff, C. (1969): Lattice disorder in Recent anhydrite and its geological implications. *Proc. Geol. Soc. London*, no.1659, pp.326-330.
- Cullis, C. G. (1904): The mineralogical changes observed in the cores of the Funafuti borings, pp. 392 - 420, in: Bonney, T. G. (ed.): *The Atoll of Funafuti. Boring into a coral reef and the results*. The Royal Society, London, 428 p.
- Curtis, R.; Evans, G.; Kinsman, D. J. J. & Shearman, D. J. (1963): Association of dolomite and anhydrite in the Recent sediments of the Persian Gulf. *Nature*, vol.197, pp.679-680.
- D'Achiardi, G. (1901): Phosphorescenza einiger Dolomite der Insel Elba. *Z. Krist.*, Bd.34, p.308.
- D'Achiardi, G. (1913): Magnesite di Castiglioncello (M. Livornesi). *Atti della Società Toscana di Scienze Naturali Residente in Pisa*, vol.22, pp.53-55.
- Dalton, J. (1808/1827): *A new system of chemical philosophy*. Part I (1808) = 560 p.; Part I, Vol.II (1827) = 357 p. R. Bickerstaff, London.
- Daly, R. A. (1907): The limeless ocean of Pre-Cambrian time. *Am. Jour. Sci.*, (4th Ser.), vol.23, pp.93-115.
- Daly, R. A. (1916): A new test of the subsidence theory of coral reefs. *Proc. Natl. Acad. Sci.*, vol.2, pp.664-670.
- Daly, R. A. (1945): Comments on "Geology of Lau, Fiji." *Am. Jour. Sci.*, vol.243, pp.565-571.
- Damour, A. A. (1850): Sur la composition chimique des Millépores. *Bull. Soc. Géol. France*, Sér.4, vol.7, pp.675-678.
- Dana, E. S. (ed./1904): *The system of mineralogy of James Dwight Dana. Descriptive mineralogy*. (6th ed.) J. Wiley & Sons, New York, 1134 + X + 75 p.

- Dana, J. D. (1844): A system of mineralogy comprising the most recent discoveries. Wiley & Putnam, New York, 633 p.
- Dana, J. D. (1852): On coral reefs and islands. *Am. Jour. Sci., Ser.2*, vol.14, pp.76-84.
- Dana, J. D. (1872): Corals and coral islands. Sampson Low, Marston, Low & Searle, London, 398 p.
- Dandurand, J. L. & Schott, J. (1977): Stabilité de la magnésite et de la dolomite; interprétation des résultats de mise en solution, et de synthèse par thermodiffusion. *Bull. Soc. Fr. Minéral. Cristallogr.*, vol.100, pp.94-99.
- Daniel, V. & Lipson, H. (1943): An X-ray study of the dissociation of an alloy of copper, iron and nickel. *Proc. Roy. Soc. London, ser.A*, vol.181, pp.368-378.
- Daniel, V. & Lipson, H. (1944): The dissociation of an alloy of copper, iron and nickel. Further X-ray work. *Proc. Roy. Soc. London, ser.A*, vol.182, pp.378-387.
- Danilova, A. D. (1959): Huntite from the Takfon deposit. *Chem. Abstracts*, vol.55(1961), no.9168 c.
- D'Ans, J. & Gloss, G. (1938): Über das $MgCO_3 \cdot 3 H_2O$, über basische Carbonate, neue Doppelverbindungen des Magnesiumcarbonats, und über basische Magnesiumsulfate. Kali, verwandte Salze u. Erdoel, Bd.32, pp.155-158.
- Darwin, C. (1842): The structure and distribution of coral reefs. Smith, Elder & Co., London, 214 p.
- Darwin, C. (1874): The structure and distribution of coral reefs. (2nd ed.) Smith & Elder, London, 278 p.
- Darwin, C. G. (1914 A): The theory of X-ray reflection. London, Edinburgh and Dublin philosophical Magazine and journal of science, [6], vol.27, pp.315-333.
- Darwin, C. G. (1914 B): The theory of X-ray reflection. Part II. London, Edinburgh and Dublin philosophical Magazine and journal of science, [6], vol.27, pp.675-690.
- Darwin, C. G. (1922): The reflexion of X-rays from imperfect crystals. *Phil. Magaz.*, [6], vol.43, pp.800-829.
- Daubeny, C. (1841): On the disintegration of the Dolomitic Rocks of the Tyrol. Report of the Meeting of the British Association for the Advancement of Science for the year 1841, pp.48-49.
- Daughtry, A. C.; Perry, D. & Williams, M. (1962): Magnesium isotopic distribution in dolomite. *Geochim. Cosmochim. Acta*, vol.26, pp.857-866.
- Davies, G. R. (1970): Algal-laminated sediments, Gladstone Embayment, Shark Bay, Western Australia. pp.169-205, in: Logan, B. W. et al.(eds.): Carbonate sedimentation and environments, Shark Bay, Western Australia. *Am. Assoc. Petrol. Geol., Memoir 13*. Tulsa (Oklah.), 223 p.

- Davies, P. J. & Bubela, B. (1973): The transformation of nesquehonite into hydromagnesite. *Chemical Geology*, vol.12, pp.289-300.
- Davies, P. J.; Bubela, B. & Ferguson, J. (1977): Simulation of carbonate diagenetic processes: Formation of dolomite, huntite, and monohydrocalcite by the reactions between nesquehonite and brine. *Chemical Geology*, v.19, p.187-214.
- Davies, P. J.; Ferguson, J. & Bubela, B. (1975): Dolomite and organic material. *Nature*, vol.255, pp.472-473.
- Davies, T. A. & Supko, P. R. (1973): Oceanic sediments and their diagenesis: Some examples from deep-sea drilling. *Jour. Sedim. Petrol.*, vol.43, pp.381-390.
- Davis, S. N. & DeWiest, R. J. M. (1966): *Hydrogeology*. J. Wiley & Sons, New York, 463 p.
- Davis, W. A. (1906): Studies of basic carbonates. I. Magnesium carbonates. *Jour. Soc. Chem. Ind.*, vol.25, pp.788-798.
- Davy, H. (1807): The Bakerian Lecture, on some chemical Agencies of Electricity. *Phil. Trans. Roy. Soc. London*, 1807, pp.1-56.
- Davy, H. (1808): Electro-Chemical Researches, on the Decomposition of the Earths; with Observations on the Metals obtained from the alkaline Earths, and on the Amalgam produced from Ammonia. *Phil. Trans. Roy. Soc. London*, vol.98, pp.333-370.
- Dean, W. E. & Gorham, E. (1976): Major chemical and mineralogical components of profundal surface sediments in Minnesota lakes. *Limnol. Oceanogr.*, vol.21, pp.259-284.
- Debije, P. (1913): Über den Einfluß der Wärmebewegung auf die Interferenzerscheinungen bei Röntgenstrahlen. *Verh. Deut. physik. Ges.*, Bd.15, pp.678-689.
- Deckker, P. de & Last, W. M. (1988): Modern dolomite deposition in continental, saline lakes, western Victoria, Australia. *Geology*, vol.16, pp.29-32.
- Deckker, P. de & Last, W. M. (1989): Modern non-marine dolomite in evaporitic playas of western Victoria, Australia. *Sedim. Geology*, vol.64, pp.223-238.
- Deckker, P. de; Bauld, J. & Burne, R. V. (1982): Pillie Lake, Eyre Peninsula, South Australia: Modern environment and biota, dolomite sedimentation, and Holocene history. *Trans. Roy. Soc. South Australia*, vol.106, pp.169-181.
- Deelman, J. C. (1972): On mechanisms causing birdseye structures. *Neues Jahrb. Mineral., Mh.*, Jg.1972, pp.582-595.
- Deelman, J. C. (1975 A): Dolomite synthesis and crystal growth. *Geology*, vol.3, pp.471-472.

- Deelman, J. C. (1975 B): Mg/Ca Ratio and salinity: Two controls over crystallization of dolomite – Discussion. *Am. Assoc. Petrol. Geol. Bull.*, vol.59, pp.2056-2057.
- Deelman, J. C. (1978): Protodolomite redefined – Discussion. *Jour. Sed. Petrol.*, vol.48, pp.1004-1007.
- Deelman, J. C. (1979 A): “Protodolomite” re-examined. *Neues Jahrb. Mineral., Mh., Jg.1979*, pp.337-356.
- Deelman, J. C. (1981): Dolomite formation: Why thermodynamics failed. *Neues Jahrb. Mineral., Abh., Bd.141*, pp.30-58.
- Deelman, J. C. (1984): Low-temperature synthesis of eitelite, $\text{Na}_2\text{CO}_3\cdot\text{MgCO}_3$. *Neues Jahrb. Mineral., Mh., Jg.1984*, pp.468-480.
- Deelman, J. C. (1988): Some phenomenological aspects of carbonate geochemistry. The control effect of transition metals – Discussion. *Geol. Rundschau*, Jg.77, pp.609-611.
- Deelman, J. C. (1999): Low-temperature nucleation of magnesite and dolomite. *Neues Jahrb. Mineral., Mh., Jg.1999*, pp.289-302.
- Deelman, J. C. (2001): Breaking Ostwald’s Rule. *Chemie der Erde*, Bd.61, pp.224-235.
- Deffeyes, K. S. & Martin, E. L. (1962): Absence of carbon-14 activity in dolomite from Florida Bay. *Science*, vol.136, p.782.
- Deffeyes, K. S.; Lucia, F. J. & Weyl, P. K. (1964): Dolomitization: Observations on the Island of Bonaire, Netherlands Antilles. *Science*, vol.143, pp.678-679.
- Deffeyes, K. S.; Lucia, F. J. & Weyl, P. K. (1965): Dolomitization of Recent and Plio-Pleistocene sediments by marine evaporite waters, on Bonaire, Netherlands Antilles. pp.71-88, in: Pray, L. C. & Murray, R. C. (eds.): *Dolomitization and limestone diagenesis: A symposium*. Society for Economic Paleontologists and Mineralogists, Tulsa (Oklahoma).
- Degens, E. T.; Stoffers, P.; Golubic, S. & Dickman, M. D. (1978): Varve chronology: Estimated rates of sedimentation in the Black Sea deep basin. pp.499-508, in: Usher, J. L. & Supko, P. (eds.): *Initial Reports Deep Sea Drilling Project*, vol.42, Pt.2, U.S. Government Printing Office, Washington D.C., 1244 p.
- Degens, E. T.; Wong, H. K. & Kempe, S. (1984): A geological study of Lake Van, Eastern Turkey. *Geol. Rundschau*, Bd.73, pp.701-734.
- Deininger, R. W. (1964): Limestone – dolomite transition in the Ordovician Platteville Formation in Wisconsin. *Jour. Sed. Petrol.*, vol.34, pp.281-288.

- Delam  therie, J. C. (1795): Th  orie de la terre. Maradan, Paris, vol.1 = 422 p., vol.2 = 456 p.
- Delano   – (1854): De la pr  tendue dolomitisation des calcaires. Compt. Rend. (Acad. Sci. Paris), vol.39, pp.492-493.
- Delden, A. van (1903): Beitrag zur Kenntnis der Sulfatreduktion durch Bakterien. Centralbl. f. Bakt., Abt.II, Bd.11, pp.81-94 + pp.113-119.
- DelMonte, M. & Sabbioni, C. (1980): Authigenic dolomite on marble surface. Nature, vol.288, pp.350-351.
- Deubner, W. (1930): Versuche   ber die Reflexion von R  ntgenstrahlen an einem k  nstlich hergestellten Schichtenk  rper. Ann. d. Physik, Folge 5, Bd.5, pp.261-280.
- Deuser, W. G.; Degens, E. T.; Harvey, G. T. & Rubin, M. (1973): Methane in Lake Kivu: New data bearing on its origin. Science, vol.181, pp.51-54.
- Dickson, J. A. D. (1991): Disequilibrium carbon and oxygen isotope variations in natural calcite. Nature, vol.353, pp.842-844.
- Diesel, W. (1911):   ber isomorphe Mischsalze von wasserfreiem Kalk, Magnesium- und Eisenkarbonat. Z. Kryst., Bd.49, pp.250-277.
- Dmitrieva, R. G. (1951): Lithology of dolomites of W. Pre-Caucasus. Chem. Abstr., vol.45 (1951), no.9,430 g.
- D  bereiner, J. W. (1815): Chemische Zerlegung eines f  r ‘‘Razoumoffskin’’ ausgegebenen Fossils aus Schlesien. Jour. f. prakt. Chemie, Bd.13, pp.318-327.
- Dodd, J. R. (1965): Environmental control of strontium and magnesium in *Mytilus*. Geochim. Cosmochim. Acta, vol.29, pp.385-398.
- Dodd, J. R. (1967): Magnesium and strontium in calcareous skeletons: A review. Jour. Paleontology, vol.41, pp.1313-1329.
- Doelter, C. (1875): Beitr  ge zur Mineralogie des Fassa- und Fleimserthales. I. Tschermak’s Mineral. Mittheilungen, Jg.1875, pp.175-182.
- Doelter, C. (1905): Physikalisch-chemische Mineralogie. J. A. Barth, Leipzig, 272 p.
- Doelter, C. (ed./1912): Handbuch der Mineralogie. Bd.I: Allgemeine Einleitung – Kohlenstoff – Carbonate – Silicate I. Th. Steinkopff, Dresden, 1008 p.
- Doelter, C. & Hoernes, R. (1875): Chemisch-genetischen Betrachtungen   ber Dolomit. Jahrb. kaiserl.-kgl. Geolog. Reichsanstalt (Wien), 1875, pp.293-332.

- Dollase, W. A. & Reeder, R. J. (1986): Crystal refinement of huntite, $\text{CaMg}_3(\text{CO}_3)_4$ with x-ray powder data. *Am. Mineral.*, vol.71, pp.163-166.
- Dolomieu, D. de (1791): Sur un genre des pierres calcaires très-peu effervescentes avec les acides, & phosphorescentes par la collision. *Observations et Mémoires sur la Physique, sur l'Histoire naturelle, et sur les Arts et Métiers*, vol.39, pp.3-10.
- Donahue, J. D. & Donahue, J. G. (1968): Dolomite synthesis at low temperature and pressure. (Abstract) *Geol. Soc. Am., Spec Papers no.101*, p.55.
- Donnay, G. & Pawson, D. L. (1969): X-Ray diffraction studies of echinoderm plates. *Science*, vol.166, pp.1147-1150.
- Douglas, R. W. & Walker, R. A. (1950): The electrokinetic behaviour of Iceland spar against aqueous solutions. *Trans. Faraday Society*, vol.46, pp.559-568.
- Drach, G. W. (1978): Urinary lithiasis, pp.779-878, in: Harrison, J. H.; Gittes, R. F. et al. (eds.): *Campbell's Urology*. Saunders, Philadelphia.
- Drever, J. I. (1971): Magnesium-iron replacement in clay minerals in anoxic marine sediments. *Science*, vol.172, pp.1334-1336.
- Drew, G. H. (1911): The action of some denitrifying bacteria in tropical and temperate seas, and the bacterial precipitation of calcium carbonate in the sea. *Jour. Mar. Biol. Assoc. U.K., New Series*, vol.9, pp.142-155.
- Drew, G. H. (1913): On the precipitation of calcium carbonate in the sea by marine bacteria, and on the action of denitrifying bacteria in tropical and temperate seas. *Jour. Mar. Biol. Assoc. U.K.*, vol.9, pp.479-524.
- Driessens, F. C. M. & Verbeeck, R. M. H. (1985): Dolomite as a possible magnesium – containing phase in human tooth enamel. *Calcified Tissue International*, vol.37, pp.376-380.
- DuBois, E. (1932): Procédé de raffinage du carbonate de magnésium naturel et appareil pour la réalisation de ce procédé. *Fr. Patent 738,202*.
- Duffy, P. (1852): Ueber isomere Modificationen der Fette. *Ann. d. Chemie u. d. Pharmacie*, Bd.84, pp.291-297.
- DuMond, J. W. M. & Youtz, J. P. (1935): Selective X-ray diffraction from artificially stratified metal films deposited by evaporation. *The Physical Review*, vol.48, p.703.
- Dunham, R. J. (1962): Classification of carbonate rocks according to depositional texture. pp.108-121, in: Ham, W. E.(ed.): *Classification of carbonate rocks. A symposium*. American Association Petroleum Geologists, Tulsa (Oklahoma).

-
- Durgaprasada Roa, N. V. N.; Shankar, K. & Poornachandra Rao, M. (1978): Carbonate lumps in the Lawson's Bay area, Viskhapatnam, east coast of India. *Indian Jour. of Marine Sciences*, vol.7, pp.72-74.
- Durlach, J. (1985): *La Magnésium en pratique clinique*. Baillière, Paris, 387 p.
- Durocher, J. (1851): Production artificielle de la dolomie sous l'influence de vapeurs magnésifères. *Compt. Rend. (Acad. Sci. Paris)*, vol.33, pp.64-66.
- Dürr, L. (1909): Die Mineralien der Markircher Erzgänge (Auszüge). *Z. Krist.*, Bd.47, pp.303-307.